

NONABSORBABLE SURGICAL SUTURE

SUPRAMID

POLYAMID BLACK

TYPE	Twisted and coated multifilament, sizes 5/0 and 6/0 monofilament
COMPOSITION	Polyamide 6.6 strands enclosed in a polyamide 6 sheet
COATING	None
TISSUE REACTION	Minimal
ABSORPTION	Non absorbable, gradually encapsulated by connective tissue
SUTURE COLOUR	Black
RANGE	USP 6/0 - 2/0
INDICATIONS	Supramid sutures are intended for use in general soft tissue closing and/or ligation; especially in skin closure





Round bodied needle – taper point – 1/2 circle

NEEDLE		EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
HR16	16 mm		1	5/0	75 cm	black	SB50HR16
			1.5	4/0	75 cm	black	SB40HR16
HR20	20 mm		1.5	4/0	75 cm	black	SB40HR20



Round bodied needle – taper point – straight

NEEDLE		EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
GR22	22 mm		1.5	4/0	50 cm	black	SB40GR22



Round bodied needle – tapercut point – 3/8 circle

NEEDLE		EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
DRT18	18 mm		1.5	4/0	75 cm	black	SB40DRT18
			2	3/0	75 cm	black	SB30DRT18



Round bodied needle – tapercut point – 1/2 circle

NEEDLE		EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
HRT16	16 mm		1	5/0	75 cm	black	SB50HRT16
HRT18	18 mm		1.5	4/0	75 cm	black	SB40HRT18
			2	3/0	75 cm	black	SB30HRT18

Reverse cutting needle – 3/8 circle							
NEEDLE		EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
DS12	12 mm	0.7	6/0	75 cm	black		SB60DS12
DS16	16 mm	0.7	6/0	75 cm	black		SB60DS16
		1	5/0	45 cm	black		SB50DS16-45
		1	5/0	75 cm	black		SB50DS16
		1.5	4/0	75 cm	black		SB40DS16-75
DS16	16 mm PREMIUM NEEDLE	1	5/0	75 cm	black		SB50DS16-P
DS19	19 mm	1	5/0	75 cm	black		SB50DS19
		1.5	4/0	45 cm	black		SB40DS19-45
		1.5	4/0	75 cm	black		SB40DS19
		2	3/0	75 cm	black		SB30DS19
DS24	24 mm	3	2/0	75 cm	black		SB20DS24

Reverse cutting needle – 1/2 circle							
NEEDLE		EP	USP	LENGTH	SUTURE COLOUR	OTHER INFORMATION	ORDER NUMBER
HS16	16 mm	1	5/0	75 cm	black		SB50HS16
HS17	17 mm	1.5	4/0	75 cm	black		SB40HS17
HS20	20 mm	1	5/0	75 cm	black		SB50HS20
		1.5	4/0	75 cm	black		SB40HS20
		2	3/0	75 cm	black		SB30HS20
HS22	22 mm	1.5	4/0	75 cm	black		SB40HS22